MARS ...L. O'TOOLE, GERSTEIN, MUR

ATTORNEYS AT LAW

6300 SEARS TOWER

233 SOUTH WACKER DRIVE CHICAGO, ILLINOIS 60606-6402

(312) 474-6300

FAX:(312) 474-0448

RICHARD H. ANDERSON
MICNAEL F. BORUN
DAVID W. CLOUGH, Ph.D.
MADELINE H. DEVEREUX
CHRISTINE A. DUDZIK
TNOMAS L. DUSTON
PATRICK D. ERTEL
JAMES A. FLIGHT
DAVID A. GASS
ALLEN N. GERSTEIN
ROBERT M. D. NOGG
TREVOR S. JOIKE
RICHARD M. LABARGE
RICHARD M. LABARGE
RICHARD M. LABARGE
WILLIAM E. MCCRACKEN
CARL E. MOORE, JR.
JAMES J. NAPOLI, Ph.D.
ANTHONY NIMMO
EDWARD M. O'TOOLE
LIHSIEN RIN-LAURES, M.D.
NATE F. SCARPELLI
RICHARD A. SCHNURR
JEFFREY S. SHARP
JAMES P. ZELLER



SPECIAL COUNSEL: MICHAEL R. GRAHAM LEE F. GROSSMAN

OF COUNSEL: OWEN J. MURRAY ALVIN D. SHULMAN December 27, 2000

4184 9770 1723

VIA FEDERAL EXPRESS

BEAU O. BARBERIS
AUDREY L. BARTNICKI, Ph.D
SCOTT E. BAXENDALE
G. CHRISTOPHER BRAIDWOOD
THOMAS A. CAWLEY, JR., Ph.D.
PORTIA CHEN
GREGORY J. CNINLUND
PAMELA L. COX
PAUL C. CRANE
KEVIN M. FLOWERS, Ph.F.
JANINE M. GIRZADAS
JENNIFER P. GOETS
FRANKIE NO
MICHAEL R. HULL
KIM A. JACKLIN
KEITN R. JAROSIK
THOMAS KIM
WILLIAM J. KRAMER
PATRICK B. LAW*
ANDREW M. LAWRENCF
BRYAN J. LEMPIA
BRENT E. MATTHIAS
WILLIAM K. MERKEL, F. C.
TNOMAS A. MILLER
SAEID MIRSAFIAN, Ph.
MICNAEL MUCZYNSKI
CARL E. MYERS
MATTHEW C. NIELSEN
SANDIP N. PATEL
AARON M. PETERS
THOMAS J. RAMSDELL
AAVID C. READ
ALISA C. SIMMONS
ANTNONY G. SITKO
PAUL B. STEPPHENS
LENA T. VAN ASDALE
ENDREW C. WARNECKE
MICHAEL R. WEINER
JOSEPHA WILLIAMS, JR., PR.D.
MANISHA CHAKRABARTI WULF

& BORUN

REGISTERED PATENT AGENTS:
JAMES F. GOEDKEN
MARK G. NANLEY
MARK H. HOPKINS, Ph.D.
NABEELA R. MCMILLIAN, Ph.D.
GRETA E. NOLAND
MARK C. ZIMMERMAN

*ADMITTED IN COLDRADD DNLY
**ADMITTED IN MISSOURI AND
DISTRICT OF COLUMBIA ONLY

Mathew A. Yeakey, Esq. Sanders Pianowski 401 W. High St. Elkhart, IN 46516

Re:

Stephen Johnson's Reissue Declaration for Angular Orientation Control System for Friction Welding Reissue Application

Our Case No.: 29627/36393

Dear Mr. Yeakey,

Pursuant to the conversation between you and David Read, enclosed is a reissue declaration for execution by Stephen Johnson. As previously discussed, due to the litigation between our respective clients, the reissue declaration is appropriately sent to you on behalf of Stephen Johnson. I have also enclosed copies of the issued patent, U.S. Pat. No. 5,858,142, for Mr. Johnson's review.

As you and Mr. Read discussed, we are in the process of filing a broadening reissue application related to the above identified U.S. patent; the nature of the changes made therein are spelled out in more detail in the enclosed reissue declaration.

The state of the s

Mathew A. Yeakey, Esq. December 27, 2000 Page 2

Please realize that the reissue application must be filed by January 12, 2001. Accordingly, please have Mr. Johnson execute the enclosed reissue declaration and return to me by January 8, 2001.

Feel free to call me in the interim if you have any questions.

Sincerely,

Thomas S. Kim

TSK/kmm Enclosures

cc: David C. Read (w/o encls.)

APPENDIX

```
rem *** inertia Friction Welding Inc
ren. *** Copyright 1996
rem *** All rights reserved
rem
rem *** Inertia Friction Welding Inc
rem *** Copyright 1996
rem *** All rights reserved
rem
rem *** All rights reserved
rem
rem *** #MAIN
rem This is the main program task
#MAIN
IS #NIT
NO #IDLE,1
#MAIN1
IS #CYCLE,@IN[1]=0.
IS #HOME,HPB=1
IS #WET DI,RPB=1,
IP #MAIN1
EN
rem End #MAIN*
rem: *** Inertia Friction Welding Inc
rem *** Copyright 1996
rem *** All rights reserved
rem
rem *** #HOME
rem Home tunction
#HOME
HX ...
IIPB=0;
MG *HOME"
NYHomed=0;
HomeiP=1,
RevI S=(); Fort S=(),
ER HomeiP=,
AC HomeDei,
KT Homef,
KI Homei,
KD HomeD,
IL 2,VT 1,
#HOMFX
MG **Homing ...
***
HOMFX
MG **Homing ...
#HOMFX
MG **Homing ..
```

```
StatMag="HOMEX:"
 rem Make sure of home switch
MG "Get off 'home switch ...";
JG FIVel.BGX;
 *WFX2.JP *WFX2,@IN[2]=0;
WT 500
STX_AMX_JP #HOMEX,@IN[2]=0.
 MG "Off Home switch . . ";
rem Find home LS
MG "Looking for home switch ...",
 #WFX1,
PR -5;B(r AMX,

JP #WFX1,@IN[2]=1,XPos= TPX,

MG "Home switch found . . ",
rem. Go back to home position
SP FIVel
PA XPos.BG;AM;DP0;
MG "Slides Homed . . . "
 #HOME1
 XYHomed=1,
XQ #IDLE,:
EN
rem End #HOME
rem *** Inertia Friction Welding Inerem *** Copyright 1996
rem *** All rights reserved
rem *** *POSERR
rem Position following error
 #POSERR
ZS,
JS #HALT,
 MG "FOLLOWING ERROR"
StatMsg="FOLERR"
ZS Jp #MAIN;
RF
rem End #POSERR -----
rem *** Inertia Friction Welding Increa. *** Copyright 1996
rem *** All rights reserved
rem *** *HALT
rem Brings motion to a stop
#HAIT
StatMsg="HALT"
ER"=10000tH 0.AB 1 WT 1000.
SH,CS,HX 1,MO,
OP255.
rem JS #CLEARIO,
 MG "Servo program halted . . "
EN
rem enc #HALl
rem *** Irertia Enction Welding Inc
rem *** Copyright 1996
rem *** All rights reserved
ren-
#IDLE
IdleTM-TIME
#IDLE1
JP #IDLE1,11ME-Idie1M<100)
ITime=ITime+1.
MG "Servo Ready
                        ",ITime (F6)
JP #IDLE,
EN
rem *** Inertia Friction Welding Increm *** Copyright 1996
rem *** All rights reserved
#INIT
SB 1.SB 2.SB 3 SB 4.
SB 5.SB 6,SB 7.SB 8,
ER =1000,
OE =1,
TL 1,
GN 1.
AC 500
DC 500;
```

```
KP .2;
KI .C5;
KD 0;
HPB=0;
  RPB=0;
XYHomed=0,
IdleTM=0,
  ITims=0;
  IS #INTIGL
IS #INTIWL
EN,
  rem and #INFI rem and Increase Fraction Welding Increase Copyright 1996
  rem *** All rights reserved
 rem
#WELD1
 HX;
RPB=0;
 MG "Weld Cycle Started"
ER"=WeldFE.
OE"=1;
rem
TL WeldTL,
GN WeldGN;
SP WeldSP,
AC WeldAC,
DC WeldDC,
KP WeldKP
KI WeldKI,
 KD WeldKD.
 Dist=PPR*WeldRev,
Dist2=Dist-(PPR*TngRev).
 PR Dist,
 TW 500,
BGX,
MG "Scrub
 reni Scrub start
 AT 0;
AT ScrubTM,
 rem Burn start
 CB1:
MG *Burn . . . "
 AD Dist2,
rem WT500
W1 rorge1M.
SB 2
MG "Werd complete"
WT 10000
KP WeldKP
EN,
rom End #WELD:
tem.
#CYCLE
JS #HOME_XYHomed=!)
JS #WELD1.
XQ #IDLE,:
EN
MG 'Position timeout
RE
rem End WELD, CYCLE MODULE *******
rem
#INITGL
rem
ren. GLOBAL VARIABLES
ıcm
rem.
rem PULSES PER INCH
PPI=1000.0000000 rem PULSES PER REV
```

PPR=7941 22449

APPENDIX-continued

```
rem Timer Ticks Per Second
TPS=1000
rem Input Volts Per Unit
IVItPRPM=2.000000
rem Output Volts Per Unit
OVItPRPM=2.000000
OVItPPSI=3.000000
rem Sample Rate
Sample Rate
Sample Rt= 100
      SampleRt=100
      rem Number of IO
      rem Homing tollowing error counts HomeFE=2000,
      Home Vel=1000;
     HomeAcc=500.
HomeDec=500.
     HomeP=.8.
     HomeI=.02;
HomeD=0;
     GHome Vel=1000:
    FTVel=1000.
rem Software limits
     XFLimit=11.000
    YFLimit=11.000
XBLimit=-0.100
YBLimit=-0.100
    InvertiO=1
    rem Max Move Values
    MaxXMVel=10
    MaxXMAcc=40
   MaxXMDec=40
EN
  en rem Weld start values
#INITWL
rem *** Inertia Friction Welding Inc
rem *** Copyright 1996
reo: *** All rights reserved
   rem Weld specific params
   WeldRPM=1750
SerubTM=2000;
   ForgeTM=4000;
WeldRevS=10
  Degrees=()
  TrigRev=05
  rem PID params
  WeldAcc=100
WeldDec=100
 WeldKP=0.5
WeldKP2=1
  Welcki=0 L2
 WeldKD=50
WeldFErr=15
 WeldTL=9 9988
WeldGN=20
rem
rem Calculated parameters
WeldRev=(Degrees;360)+WeldRevS,
WeldSP=(WeldRPM*PPR)/6J
WeldAC=(WeldAcc*PPR)/60,
WeldDC=(WeldDec*PPR)/60,
WeldDE=WeldFEr*PPR;
 rcm
rem
rem End weld.txt ***********EN
```